AUTHOR INDEX

ABBAS, S. A., 77
ABBATE, S., 1
ANDERSON, C. B., 276
ANGEL, A.-S., 27
ATALLA, R. H., 1

BAER, H. H., 151
BAJO, G., 1
BAKØY, O. E., 183
BAYONOVE, C., 139
BENFENATI, E., 67
BEZUKLADNIKOV, P. W., 268
BITTEUR, S., 139
BOOS, W., 113
BRILLOUET, J.-M., 139

CADMUS, M. C., 203
CANDIANO, G., 67
CASU, B., 292
CHAVANTE, S. F., 292
CONTI, G., 1
CORDONNIER, R., 139
CURRIE, F., 279
CZERNECKI, S., 121

DAVIES, D. B., 39
DELLACHERIE, E., 193
DIETRICH, C. P., 292

ELYAKOVA, L. A., 268

FARKAS, V., 213
FERREIRA, T. M. P. C., 292
FRANZ, G., 285
FRENKIEL, T. A., 39

GHIGGERI, G. M., 67
GOUX, W. J., 47
GRASDALEN, H., 183
GUNATA, Z., 139
GUSMANO, R., 67

HASEGAWA, A., c1
HENSEL, A., 285
HERNÁNDEZ MATEO, F., 151
HORTON, D., 221, 231

ICARDI, G., 67
ISHIDA, H., c1

JACKSON, L. K., 203
JONES, C., 279

KANAZAWA, S., 271
KENNE, L., 288
KIEBOOM, A. P. G., 163
KISO, M., c1
KLETT-ZYGMUNT, D., 193
KOGAN, G., 171
KÖLL, P., 247
KOVÁČ, P., 87
KROTKIEWSKI, H., 27

LARSEN, B., 183
LEHMANN, J., 113
LERNER, L., 87
LERNER, L. M., 250
LINDBERG, B., 288
LIPTÁK, A., c5
LISOWSKA, E., 27

MACLACHLAN, G., 213
MASLER, L., 171
MATTA, K. L., 77
MIYAKE, T., 221
MOCZULSKA, A., 262
MULLOY, B., 39
MURASE, T., c1

NADER, H. B., 292
NIEMELÄ, K., 131
NILSSON, B., 27
NOBLE, O., 236

OGAWA, S., 271

PAPERT, G., 247
PAVLIAK, V., 171
PEGRAM, J. J., 276
PIZZINI, S., 1
POHL, S., 247
PRIEBE, W., 231

REUBEN, J., 244
RUTHERFORD, W. M., 203

SAAK, W., 247
SACCO, D., 193
ŠANDULA, J., 171
SCHMIDT, R. R., 254
SERIANNI, A. S., 13
SLODKI, M. E., 203
SMIATACZ, Z., 262
SNYDER, J. R., 13
STECK, J., 113

STRAATHOF, A. J. J., 163
SZABÓ, L., C5
SZNAIDMAN, M., 231

TADANO, K., 271
TARAVEL, F. R., 236
THOMAS, R. L., 77
TOMA, L., 292
TORRI, G., 292

VALERY, J.-M., 121
VAN BEKKUM, H., 163
VROLIJK, J. M., 163

WEGMANN, B., 254
WEISER, W., 113
WEISLEDER, D., 203
WRISSENBERG, S., 113

YAMADA, H., 271

ZETTA, L., 67

SUBJECT INDEX

Acetal formation from a pyruvyl thioacetal, catalyzed by methyl triflate, dimethyl(methylthio)sulfonium triflate, or nitroso tetrafluoroborate, pyruvic, c5

N-Acetyl-*N*-*p*-chlorophenyl-β-D-ribopyranosylamine derivatives, nucleophilic displacement reactions of some, 262

Adenosine, 5′-deoxy-, synthesis by coupling methods of, 250

Adriamycin, conversion of daunorubicin into, 231

Alkenes, *C*-(D-glucopyranosyl)-, synthesis, 221

β-L-Altropyranose, 6-deoxy-6-(dimethylphenylsilyl)-1,2:3,4-di-*O*-isopropylidene, synthesis of, *via* hydrosilation, and its reactivity, 276

2-Amino-2-deoxy-D-glucose, the reaction of lysine with, 67

α-Aminonitriles related to lincosamine, stereochemical studies of the synthesis of, 121

3,7-Anhydro-2-azi-1,2-dideoxy-D-*glycero*-D-*gulo*-octitol, synthesis of malto-oligosaccharide homologues of, for use as photoaffinity reagents, 113

1,6-Anhydro-β-D-glucopyranose, kinetics and mechanism of the acid catalysed butanolysis of, 163

2,6-Anhydro-D-mannononitrile, X-ray structure of 3,4,5-tri-*O*-acetyl-, 247

Anomerization, of furanose rings, 13

Anthracyclines: synthesis of derivatives of 3-amino-3,4,6-trideoxy-L-*lyxo*- and -L-*xylo*-hexose, and attempts at fluorination at C-2, carbohydrate components for modified, 151

α-D-Arabinopyranosyl cyanide, X-ray structure of 2,3,4-tri-*O*-acetyl-, 247

Assessment of the values of the C–H-stretching force constants in sugar molecules, 1

Borate–guar D-galacto-D-mannan complex, thermodynamic data of, 236

Butanolysis of 1,6-anhydro-β-D-glucopyranose, kinetics and mechanism of the acid-catalysed, 163

Candida krusei, novel structure of the cellular mannan of the pathogenic yeast, 171

Carbohydrate components for modified anthracyclines: synthesis of derivatives of 3-amino-3,4,6-trideoxy-L-*lyxo*- and -L-*xylo*-hexose, and attempts at fluorination at C-2, 151

Carbon resonances of peracetylated derivatives, the determination of complex carbohydrate structure by using carbonyl, 47

Cell walls of regenerating tobacco protoplasts, a (1→3,4)-linked β-D-glucan from the, 285

Conformational studies of oligosaccharides, application of long-range carbon–proton coupling constants to, 39

Daunorubicin, conversion into adriamycin and 14-*O*-acetyldoxorubicin, 231

Degree of esterification and the distribution of methylated and free carboxyl groups in pectins, determination by n.m.r. spectroscopy, 183

5′-Deoxyadenosine, synthesis by coupling methods of, 250

6-Deoxy-6-(dimethylphenylsilyl)-1,2:3,4-di-*O*-isopropylidene-β-L-altropyranose: synthesis *via* hydrosilation, and reactivity, 276

Determination of complex carbohydrate structure by using carbonyl carbon resonances of peracetylated derivatives, 47

Determination of the degree of esterification and the distribution of methylated and free carboxyl groups in pectins by ^{1}H-n.m.r. spectroscopy, 183

Dextran, evidence for the formation of different types of phosphate moieties in the phosphorylation with polyphosphoric acid of, 193

Doxorubicin, 14-*O*-acetyl-, conversion of daunorubicin into, 231

Effects of methyl, ethyl, and carboxymethyl *O*-substitution on the anomeric equilibrium of D-glucopyranose, 244

Enzymic hydrolysis of potentially aromatic glycosides from grape, sequential, 139

Enzymic hydrolysis of rhizobial 4-*O*-methyl-D-glucurono-L-rhamnan, 203

Evolution; chemical and enzymic degradation, and ^{13}C-n.m.r. spectral evidence of the maintenance of heparan sulfate structure throughout, 292

Facile regio- and stereo-selective synthesis of α-glycosides of *N*-acetylneuraminic acid, c1

Fluorination at C-2 of carbohydrate components for modified anthracyclines: synthesis of derivatives of 3-amino-3,4,6-trideoxy-L-*lyxo*- and -L-*xylo* hexose, and attempts at, 151

4-Fluoro derivative of uridine 5′-(2-acetamido-2-deoxy-α-D-galactopyranosyl) diphosphate, synthesis of, 77

6-Fluoro derivative of uridine 5′-(2-acetamido-2,6-deoxy-α-D-glucopyranosyl) diphosphate synthesis of, 77

2-*O*-α-L-Fucopyranosyl-D-galactose (H-disaccharide), synthesis of, *via* the trichloroacetimidate method, 254
Furanose-ring anomerization: a kinetic study of the 5-deoxypentoses and 5-*O*-methylpentoses, 13

D-Galacto-D-mannan (guar)–borate complex, thermodynamic data of, 236
β-D-Glucan from the cell walls of regenerating tobacco protoplasts, a (1→3,4)-linked, 285
1,4-β-Glucanase, pea, stimulation of activity of, by oligosaccharides derived from xyloglucan, 213
D-Gluco-oligosaccharides, preparation by transglycosylation of ^{14}C-labelled (1→3)-β-, 268
D-Glucopyranose, anomeric equilibrium of, effects of methyl, ethyl, and carboxymethyl *O*-substitution on the, 244
C-(D-Glucopyranosyl)alkenes, synthesis of, 221
D-Glucose, synthesis of (1*S*,3*R*,4*R*,5*R*)-3,4-(isopropylidenedioxy)-1-[(1*R*)-1,2-(isopropylidenedioxy)ethyl]-2-oxaspiro[4.4]non-6-en-8-one from, 271
Glycophorins, structural analysis by f.a.b.–m.s. of the mixture of alditols derived from the O-linked oligosaccharides of murine, 27
Grape, sequential enzymic hydrolysis of potentially aromatic glycosides from, 139
Guar D-galacto-D-mannan–borate complex, thermodynamic data of, 236

Heparan sulfate structure throughout evolution; chemical and enzymic degradation, and ^{13}C-n.m.r.-spectral evidence of the maintenance of, 292
2-Hydroxy-2-cyclopenten-1-ones, formation of, from polysaccharides during kraft pulping of pine wood, 131

Isomalto-oligosaccharides, methyl α-glycosides of, and related compounds, systematic chemical synthesis and n.m.r. spectra of, 87
(Isopropylidenedioxy)-1-[(1*R*)-1,2-(isopropylidenedioxy)ethyl]-2-oxaspiro[4.4]non-6-en-8-one from D-glucose, synthesis of (1*S*,3*R*,4*R*,5*R*)-3.4-, 271

Kinetics and mechanism of the acid-catalysed butanolysis of 1,6-anhydro-β-D-glucopyranose, 163
Kraft pulping of pine wood, the formation of 2-hydroxy-2-cyclopenten-1-ones from polysaccharides during, 131

Lincosamine, stereochemical studies of the synthesis of α-aminonitriles related to, 121
Long-range carbon–proton coupling constants: application to conformational studies of oligosaccharides, 39
Lysine, the reaction of 2-amino-2-deoxy-D-glucose with, 67

Maintenance of heparan sulfate structure throughout evolution. Chemical and enzymic degradation, and ^{13}C-n.m.r.-spectral evidence, 292
Malto-oligosaccharide homologues of 3,7-anhydro-2-azi-1,2-dideoxy-D-*glycero*-D-*gulo*-octitol, synthesis of, for use as photoaffinity reagents, 113
Mannan of the pathogenic yeast *Candida krusei*, novel structure of the cellular, 171
Mass spectrometry of the mixture of alditols derived from the O-linked oligosaccharides of murine glycophorins, structural analysis by f.a.b., 27

Neuraminic acid, *N*-acetyl-, a facile regio- and stereo-selective synthesis of α-glycosides of, C1
Novel structure of the cellular mannan of the pathogenic yeast *Candida krusei*, 171
Nucleophilic displacement reactions of some *N*-acetyl-*N*-*p*-chlorophenyl-β-D-ribopyranosylamine derivatives, 262

Oligosaccharides, application of long-range carbon–proton coupling constants to conformational studies of, 39

Pectins, determination by n.m.r. spectroscopy of the degree of esterification and the distribution of methylated and free carboxyl groups in, 183
(*E*)-1,3-Pentadiene, 5-(2,3,4,6-tetra-*O*-acetyl-α-D-glucopyranosyl)-, synthesis of, 221
Pentoses, 5-deoxy-, a kinetic study of the anomerization of the, 13
Pentoses, 5-*O*-methyl-, a kinetic study of the anomerization of the, 13
Peracetylated derivatives, the determination of complex carbohydrate structure by using carbonyl carbon resonances of, 47
Phosphorylation of dextran with polyphosphoric acid, evidence for the formation of different types of phosphate moieties during the, 193
Photoaffinity labels for malto-oligosaccharide binding sites, synthesis of malto-oligosaccharide derivatives of 3,7-anhydro-2-azi-1,2-dideoxy-D-*glycero*-D-*gulo*-octitol as, 113
Pneumococcal polysaccharide S4, a structural re-assessment of the, 279

Polysaccharide, a re-examination of the structure of the *Streptococcus pneumoniae* type 29, 288
Polysaccharide S4, a structural re-assessment of the pneumococcal, 279
Polysaccharides, the formation of 2-hydroxy-2-cyclopenten-1-ones from, during kraft pulping of pine wood, 131
Preparation of ^{14}C-labelled (1→3)-β-D-gluco-oligosaccharides by transglycosylation, 268
1-Propene 3-(2,3,4,6-tetra-*O*-acetyl-α-D-gluco-pyranosyl)-, synthesis of, 221
Pyruvic acetal formation from a pyruvyl thioacetal, catalyzed by methyl triflate, dimethyl(methylthio)sulfonium triflate, or nitroso tetrafluoroborate, C5

Reaction of 2-amino-2-deoxy-D-glucose and lysine: isolation and characterization of 2,5-bis(tetrahydroxybutyl)pyrazine, 67
Re-investigation of the phosphorylation of dextran with polyphosphoric acid: evidence for the formation of different types of phosphate moieties, 193
L-Rhamnan, 4-*O*-methyl-D-glucurono-, rhizobial, enzymic hydrolysis of, 203
D-Ribopyranosylamine derivatives, nucleophilic displacement reactions of some *N*-acetyl-*N*-*p*-chlorophenyl-β-, 262
D-Ribose, 5-deoxy-, synthesis of 5′-deoxyadenosine from, 250

Sequential enzymic hydrolysis of potentially aromatic glycosides from grape, 139
Stereochemical studies of the synthesis of α-aminonitriles related to lincosamine, 121
Stimulation of pea 1,4-β-glucanase activity by oligosaccharides derived from xyloglucan, 213
Streptococcus pneumoniae type 29 polysaccharide, a re-examination of the structure of the, 288
Stretching force constants in sugar molecules, assessment of the values of the C–H, 1
Structural analysis by f.a.b.–m.s. of the mixture of alditols derived from the *O*-linked oligosaccharides of murine glycophorins, 27
Structural re-assessment of the pneumococcal polysaccharide S4, 279
Structure of the *Streptococcus pneumoniae* type 29 polysaccharide, a re-examination of the, 288
O-Substitution, by ethyl, methyl, and carboxymethyl groups, effect of, on the anomeric equilibrium of D-glucopyranose, 244
Sugar molecules, assessment of the values of the C–H-stretching force constants in, 1
Synthesis of (1*S*,3*R*,4*R*,5*R*)-3,4-(isopropylidenedioxy)-1-[(1*R*)-1,2-(isopropylidenedioxy)-ethyl]-2-oxaspiro[4.4]non-6-en-8-one from D-glucose, 271
Synthesis of the H-disaccharide (2-*O*-α-L-fucopyranosyl-D-galactose), *via* the trichloroacetimidate method, 254
Systematic chemical synthesis and n.m.r. spectra of methyl α-glycosides of isomalto-oligosaccharides and related compounds, 87

Thioacetal, catalyzed by methyl triflate, dimethyl(methylthio)sulfonium triflate, or nitroso tetrafluoroborate, pyruvic acetal formation from a pyruvyl, C5
Tobacco protoplasts, a (1→3,4)-linked β-D-glucan from the cell walls of regenerating, 285
Transglycosylation, preparation of ^{14}C-labelled (1→3)-β-D-gluco-oligosaccharides by, 268
Trichloroacetimidate method, synthesis of the H-disaccharide (2-*O*-α-L-fucopyranosyl-D-galactose) *via* the, 254

Uridine 5′-(2-acetamido-2,4-dideoxy-4-fluoro-α-D-galactopyranosyl) diphosphate, synthesis of, 77
Uridine 5′-(2-acetamido-2,6-dideoxy-6-fluoro-α-D-glucopyranosyl) diphosphate, synthesis of, 77

X-ray structure of 3,4,5-tri-*O*-acetyl-2,6-anhydro-D-mannononitrile (2,3,4-tri-*O*-acetyl-*O*-D-arabinopyranosyl cyanide), 247
Xyloglucan, oligosaccharides derived from, stimulation of pea 1,4-β-glucanase activity by, 213